

Launcher Alluminium Alloy

38mm CS Cartridges, Rubber ball Cartridges, Illumination Cartridges, Sound Cartridges, Smoke Cartridges



## **Detail Contents**

Application	38mm CS cartridge, Rubber Baton, Rubber Ball Bullet
Material	Aluminum Alloy (Body) Synthetic (Hand Grip)
Feature	Top Open System Safety Lock System Foldable Butt Stock



6 rounds

Alluminium Alloy

Feature: 38/40mm 6 Rounds - Revolver type launcher SJ-600N

About 200M (depends on the ammunition)



## **Detail Contents**

Ammunition 38mm CS cartridge, Rubber Baton, Rubber Ball Bullet

Material Aluminum Alloy

Feature Top Open System Safety Lock System



38mm CS tear gas cartridge (3 projectiles)



TECHNICAL SPECIFICATION		
Item Code	AKSCS37/38-3	
Туре	Projectile, Multi-Smoke	
Discharge	CS 'nitwit Smoke	
Application	Riot and Crowd Control	
Projectiles	3, Aluminum Cased	
Discharge Time	25 ± 5 seconds	
Cartridge Material	Aluminum	
Length Overall	112±1 mm	
Diameter	37/38 mm	
Overall Weight	180 ± 5 grams	
Chemical Weight	80 ±5 grains	
Irritant Agent	20-25 %	
Max. Range	100 meters	
SHIPPING INFORMATION		
UN Number	UN 0301	
Shipping Name	Ammunition, Tear-Producing	
Hazard Class	1.4G (6.1, 8)	
Quantity Per Package	75 Cartridges	
Packaging	Metal 1A2 UN/DoT Approved Pail w/Lever Lock Lid and Cany Handle	