

EXPERIENCE THE DIFFERENCE YOUR SECURITY & SAFETY PRODUCTS

## **J31-BNVG** Binocular Night Vision Goggle



## JB-31 Binocular Night Vision Goggle

JB-31 binocular night vision goggle adopts super second-generation low light tubes. With reliable and superior performance, compact size, and ultra-light weight, it provides high-definition images to effectively improve situational awareness and self-protection capabilities.



## **PRODUCT HIGHLIGHTS**



Light weight



Extra-long eye relief



Binocular 3D vision



Compact size




02



## **SPECIFICATIONS**

| Model                   | J-31                                    |
|-------------------------|---|
|                         | Optical Specifications                  |
| Magnification           | ١×                                      |
| Range of Fcous          | 0.25mto+∞                               |
| Diopter Adjustment      | -4~+2                                   |
| Lens System             | F/1.2                                   |
| FOV                     | 43° (±2%)                               |
| Eye Relief              | 25mm                                    |
|                         | Performance Specifications              |
| Power Supply            | AA                                      |
| Battery Life            | 20h                                     |
| IR Illuminator          | Yes                                     |
| Bright Light Protection | Yes                                     |
| Flip-Up On-Off          | Yes                                     |
| Side Flip-Up On-Off     | Yes                                     |
| IPD Adjustment          | 55-75mm                                 |
|                         | Overall Unit Information                |
| Dimension               | 110×97×90mm                             |
| Weight                  | 470g                                    |
| Environmental Rating    | IP67                                    |
| Interface               | L4G24                                   |
|                         | Image Intensifier Tubes                 |
| Limiting resolution     | 64                                      |
| Signal to noise ratio   | 22                                      |
| Phosphor                | P43(Green Phosphor)/P45(White Phosphor) |

**OPERATING DISTANCE** 



10018

03





LEARN MORE: c4icommunication.com FOR MORE INFORMATION: contact@c4icommunication.com or +1 (302).981.1340