



EXPERIENCE THE DIFFERENCE
YOUR SECURITY & SAFETY PRODUCTS

C4I-BADFEND DRONE DETECTION SYSTEM



LEARN MORE:

<http://c4communication.com>

C4I- BADFEND

Portable drone detector



The portable UAV detector is a miniaturized UAV detector designed for individual use Ready. It adopts self-developed low-power digital analog hybrid receiver technology for passive detection of UAVs, which can detect models including DJI full series, Dao full series and crossing machine, etc. The device achieves a very low false alarm rate while maintaining a high sensitivity detection capability. Once a signal is detected, it can send out light, sound and vibration prompts, and display relevant information on the screen to achieve rapid response and monitoring of the drone.

MAIN FUNCTION



- The equipment adopts passive detection mode and does not transmit signals to the outside world;
- It has the reconnaissance ability of the full series of DJI, the full series of Dao and the crossing aircraft;
- With screen display detection model category and power information function;
- With sound, light, vibration alarm mode;
- With low power alarm function;
- With the ability to upgrade the detection and identification of unconventional frequency drones

FEATURES

Operating frequency band :

1080~1360MHz, 2400~2485MHz, 4900MHz~6000MHz;
(with frequency 300-6000Mhz Expansion capability)

Detection distance :

≥1.5km; (DJI mini2 visual environment height 50m as standard;
In FPV 600mW diagram transmitter with an ambient height
of 50m is the standard.

Equipment power supply:

Replaceable lithium battery, support Type-C fast charging
and base charging

Battery life :


6 hours; (Battery capacity 2500mAh)

Appearance size :

136×63×40mm (including antenna)

Working weight :

≤300g





LEARN MORE: c4icommunication.com

FOR MORE INFORMATION: contact@c4icommunication.com or +1 (302) 981.1340