



EXPERIENCE THE DIFFERENCE  
YOUR SECURITY & SAFETY PRODUCTS

# ANTI RIOT

LAUNCHERS





**PRODUCTS  
ANTI-RIOT LAUNCHERS**



## ANTI-RIOT PURPOSE NON - LETHAL LAUNCHERS

### 37/38mm ANTI-RIOT LAUNCHER *Smooth Bore, Single (1) Shot*



| MODEL NO        | C4I-SJ 101   |                       | C4I-SJ 102  |                       |
|-----------------|--|-----------------------|---|-----------------------|
| CALIBER         | 38mm   |                       | 38mm  |                       |
| MATERIAL / BODY | Aluminum Alloy   |                       | Aluminum Alloy  |                       |
| MATERIAL / GRIP | Synthetic (Hand Grip)  |                       |   |                       |
| FEATURE         | Top Open System<br>Safety Lock System<br>Foldable Butt Stock         |                       | Top Open System<br>Safety Lock System<br>Foldable Butt Stock<br><b>Double Action System</b> |                       |
| DIMENSION       | 705mm<br>(Total Length)<br>(Butt Folded)                             | 450mm<br>Barrel 300mm | 694mm<br>(Total Length)<br>(Butt Folded)  | 425mm<br>Barrel 280mm |
| FIRE DISTANCE   | 80 ~80 ~ 150m  |                       | 80 ~ 150m   |                       |
| WEIGHT          | 1.8Kg 1.8Kg  |                       | 1.8Kg   |                       |
| PACKING         | 5ea / Strong Carton box<br>550 x 520 x 250mm<br>Net 9kg / Gross 11Kg |                       |   |                       |



## 40mm ANTI-RIOT LAUNCHER

Smooth Bore, Single (1) Shot



| MODEL NO        | C4I-SJ 103   | C4I-SJ 104  |
|-----------------|--|---|
| CALIBER         | 40mm40mm   | 40mm  |
| MATERIAL / BODY | Aluminum Alloy   | Aluminum Alloy  |
| MATERIAL / GRIP | Synthetic (Hand Grip)  |   |
| FEATURE         | Top Open System<br>Safety Lock System<br>Foldable Butt Stock         | Top Open System<br>Safety Lock System<br>Foldable Butt Stock<br><b>Double Action System</b> |
| DIMENSION       | 705mm (Total Length)<br>450mm (Butt Folded)<br>Barrel 300mm          | 695m (Total Length)<br>425mm (Butt Folded)<br>Barrel 280mm                                  |
| FIRE DISTANCE   | 80 ~80 ~ 150m  | 80 ~ 150m   |
| WEIGHT          | 1.8Kg  | 1.8Kg   |
| PACKING         | 5ea / Strong Carton box<br>550 x 520 x 250mm<br>Net 9kg / Gross 11Kg |   |



## ANTI-RIOT LAUNCHER

*Smooth Bore, Six(6) shot Multiple Launcher*



| MODEL NO        | C4I-SJ 601  | C4I-SJ 604                            |
|-----------------|---|---------------------------------------|
| CALIBER         | 38mm  | 40mm                                  |
| MATERIAL / BODY | Aluminum Alloy  | Aluminum Alloy                        |
| FEATURE         | Top Open System<br>Safety Lock System                                 | Top Open System<br>Safety Lock System |
| DIMENSION       | Overall 720mm<br>Barrel 240mm   | Overall 720mm<br>Barrel 240mm         |
| FIRE DISTANCE   | 80 ~ 150m   | 80 ~ 150m                             |
| WEIGHT          | 4.0Kg   | 4.0Kg                                 |
| PACKING         | 5ea / Strong Carton box<br>545 x 515 x 250mm<br>Net 20kg / Gross 22Kg |                                       |



# Hand-held Launchers

(Simple)

**Single Shot Launcher 37/38mm**  
or 40mm, Double Action

- ◆ Model No. C4I-SJ-101/ C4I-SJ-102/  
C4I-SJ-103 / C4I-SJ-104



**Double Shot Launcher 37/38mm**  
or 40mm, Double Action

- ◆ Model No. C4I-S381



**Six Shot Launcher**  
37/38mm or 40mm, Pumping Action

- ◆ Model No. C4I-SJ-600N / C4I-SJ-601/  
C4I-SJ-604



# Hand-held Launchers

(Rail type)

## Single Shot Launcher

37/38mm or 40mm, Double Action

- ◆ Model No. C4I-SJ-101/ C4I-SJ-102/ C4I-SJ-103 / C4I-SJ-104



## Six Shot Launcher

37/38mm or 40mm, Pumping Action

- ◆ Model No. C4I-SJ-600N / C4I-SJ-601/ C4I-SJ-604



# ANTI-RIOT LAUNCHER

*Smooth Bore , Single(1) shot*



|                        |  |
|------------------------|--|
| <b>MODEL NO</b>        | <b>C4I-LTS1-38G / C4I-LTS1-40G</b>   |
| <b>CALIBER</b>         | 37/38mm / 40mm   |
| <b>MATERIAL / BODY</b> | Aluminum Alloy   |
| <b>MATERIAL / GRIP</b> | Synthetic (Hand Grip)  |
| <b>FEATURE</b>         | <ul style="list-style-type: none"> <li>Top Open System</li> <li>Safety Lock System</li> <li>Foldable Butt Stock (option)</li> <li>Rails for Additional accessories</li> <li>Rail for foregrip handle adjustment</li> </ul> |
| <b>DIMENSION</b>       | <p>7745 ± 25mm (Total Length)</p> <p>493 ± 20mm (Butt Folded)</p> <p>Barrel 350 ± 20mm</p>   |
| <b>FIRE DISTANCE</b>   | 80 ~ 150m  |
| <b>WEIGHT</b>          | 1.1.75 kg ± 200g   |
| <b>PACKING</b>         | <p>5ea / Strong Carton box</p> <p>550 x 520 x 250mm</p> <p>Net 9kg / Gross 11Kg</p>  |



## ANTI-RIOT LAUNCHER

*Smooth Bore, Six(6) Shot Multiple Launcher*



|                        |  |
|------------------------|--|
| <b>MODEL NO</b>        | <b>C4I-LTS6-38G / C4I-LTS6-40G</b>   |
| <b>CALIBER</b>         | 37/38mm / 40mm   |
| <b>LENGTH</b>          | 785 ± 50mm   |
| <b>MATERIAL / BODY</b> | Aluminum Alloy   |
| <b>FEATURE</b>         | <ul style="list-style-type: none"> <li>Top Open System</li> <li>Safety Lock System</li> <li>Double Action Hammer</li> <li>Fixed Butt Stock</li> <li>Semi-auto Firing</li> <li>Rails for Additional accessories</li> <li>Rail for foregrip handle adjustment</li> </ul> |
| <b>FIRE DISTANCE</b>   | 80 ~ 150m  |
| <b>WEIGHT</b>          | 3.9kg ± 100g   |
| <b>PACKING</b>         | <ul style="list-style-type: none"> <li>5ea / Strong Carton box</li> <li>545 x 515 x 250mm</li> <li>Net 20kg / Gross 22Kg</li> </ul>  |



# ANTI-RIOT LAUNCHER

**DOUBLE -ACTION(2) Shot**



|                        |  |
|------------------------|--|
| <b>MODEL NO</b>        | <b>C4I-CLD -S381</b>   |
| <b>CALIBER</b>         | 37/38mm Smooth Bore<br>40mm Smooth Bore  |
| <b>ACTION</b>          | Break Open, Double-Action<br>Two(2) Shot Over/Under Design.                                |
| <b>MATERIAL / BODY</b> | Aluminum Alloy   |
| <b>BARREL</b>          | 200mm(7.87")   |
| <b>LENGTH</b>          | 2 Shots  |
| <b>CAPACITY</b>        | 2.9Kg  |
| <b>WEIGHT</b>          | 2.9Kg2.9Kg   |
| <b>ACCESSORIES</b>     | Picatinny Rail<br>Shock absorb buttstock<br>Additional Accessories are Available at cost   |
| <b>PACKING</b>         | Each in Soft Case<br>6ea / Strong Carton box<br>680 x 450 x 390mm<br>Net 18Kg / Gross 25Kg |



# C4I-STING<sup>®</sup> -15R MACHINE

Vehicle Mounted Red Remote Control Type




|                        |   |
|------------------------|---|
| <b>MODEL NO</b>        | <b>C4I-STING<sup>®</sup> -15R (A2)</b>  |
| <b>TYPE</b>            | Single shot(1)&Five shot (5) x 3&Fifteen(15) Shot   |
| <b>CALIBER</b>         | 37/38mm& 40mm (Smooth Bore)   |
| <b>COMPONENTS</b>      | Percussion Type Launcher Machine<br>Shooting Barrel (Cartridge)<br>IR / Camera (AHD)<br>Remote Controller<br>DVR (Recording) : SD Card<br>Display : 10" AHD Monitor |
| <b>MAIN MATERIAL</b>   | Anodized Aluminum Alloy / Steel   |
| <b>SIZE</b>            | 422 x377 x 394 mm   |
| <b>WEIGHT / BODY</b>   | Approx, 24 kg   |
| <b>WEIGHT / BARREL</b> | 4 kg x 1 ea   |
| <b>POWER</b>           | 12V (DC)                   * Option : 24V (DC)<br>(Battery of Vehicle acceptable, No need additional battery)   |
| <b>MOVEMENT</b>        | Vertical angle -5° ~ 45° / Horizontal angle 350°  |
| <b>FIRING SYSTEM</b>   | Mechanical Percussion   |
| <b>AMMUNITION</b>      | 37/38mm CS Cartridge, Rubber Ball Cartridge<br>Plastic or Aluminum / Most of Cartridges are available   |
| <b>PACKING</b>         | One full set / Special Carton Box<br>910 x 410 x 500 mm<br>Net 32kg/ Gross 48kg<br>(Excluding Installation Bracket)   |



## C4I-BCM-30

**Vehicle Mounted 40x46mm Multiple Grenade Launcher  
Remote Controlled Type**




|                                     |  |
|-------------------------------------|--|
| <b>MODEL NO</b>                     | <b>C4I-BCM-30</b>  |
| <b>TYPE</b>                         | Single shot(1) & Five shot(5) & Fifteen Shot(15) & Thirty(30) Shot   |
| <b>BORE DIAMETER</b>                | 40mm Rifled  |
| <b>COMPONENTS</b>                   | Percussion Type Launcher Machine<br>Rifled Barrel (Magazine)<br>IR / Camera (AHD)<br>Remote Controller<br>DVR (Recording) : SD Card<br>Display : 10" AHD Monitor |
| <b>MATERIAL BODY / BARRELEL</b>     | Anodized Aluminum Alloy / AL7075 T6  |
| <b>SIZE</b>                         | 790 x 625 x 500 mm   |
| <b>WEIGHT / BODY</b>                | Approx, 100 kg   |
| <b>WEIGHT &amp; LENGTH / BARREL</b> | 5 kg x 2 ea / 305 mm   |
| <b>BARREL TWIST RATE MAX</b>        | 1 turn in 10 inches / 6 grooves in Right hand twist  |
| <b>EFFECTIVE RANGE</b>              | 150 m (Point Target) / 350 m (Area Target)   |
| <b>MAX RANGE</b>                    | 400 m  |
| <b>MIN SAFE RANGE</b>               | 130 m (Training) / 31 m (Combat)   |
| <b>CHAMBER PRESSURE</b>             | 35,000 psi   |
| <b>MUZZLE VELOCITY</b>              | 76 m/s (250 fps)   |
| <b>POWER</b>                        | 12V (DC) / 24V (DC)  |
| <b>MOVEMENT</b>                     | Vertical angle -5° ~ 70°<br>Horizontal angle 350° (adjustable)   |
| <b>AMMUNITION</b>                   | 40 x 46 mm Grenade   |
| <b>PACKING</b>                      | One full set / Wooden box<br>950 x 850 x 800 mm / Net 127kg & Gross 152kg<br>(Excluding Installation Bracket)  |



# Multiple Automatic Launchers

## Vehicle Mounted Type



### **STRONG ALUMINUM ALLOY**

#### **MACHINE BODY**

Robust Launcher Body with Strong Aluminum Anodized Body

### **WEATHER PROOF**

#### **– CLOSED DESIGN**

Weather proof and Dust proof with Closed Design

### **RELOADABLE MAGAZINE**

#### **– SIDE SLIDING**

Easy Reloading from Inside of Vehicle


### **FREE ROTATION**

**VERTICALLY, -5 ~ 70 °**

**HORIZONTALLY, 0 ~ max 360 °**  
**(Adjustable)**

One machine covers all around of the Vehicle

# STARK



### **EFFICIENT POWER CONSUMPTION - 12V**

**VEHICLE BATTERY** (24V available) No need additional power supply

### **IR CAMERA**

Very clean view in NIGHT time also

### **ADJUSTABLE INSTALLATION**

**BRACKET** Easy Assemble and Disassemble To be designed adequately for every vehicle

### **FLEXIBILITY ON APPLICATION**

Mechanical Type – Percussion Igniter Most of 37/38mm and 40mm ammunition s



# Multiple Automatic Launchers

## Vehicle Mounted Type



# STING

### **SIMPLE & LIGHT**

Weight only 22Kg

### **TRONG ALUMINUM ALLOY LAUNCHER**

Aluminum Anodized Robust Launcher Body

**WEATHER PROOF** Weather proof and Dust proof

### **RELOADABLE MAGAZINE**

#### **- SIDE SLIDING**

Easy Reloading from Inside of Vehicle

### **FREE ROTATION**

**VERTICALLY, -5 ~ 45 °**

**HORIZONTALLY, 0 ~ max 350 °** One machine covers all around of the Vehicle

### **EFFICIENT POWER CONSUMPTION**

**- 12V VEHICLE BATTERY** (24V available)

No need additional power supply

### **ZOOM CAMERA**

X36 Optical Zoom with Focus function

### **IR CAMERA**

Very clean view in NIGHT time also

### **ADJUSTABLE INSTALLATION**


**BRACKET** Easy Assemble and Disassemble To be designed adequately for every vehicle

### **ECONOMIC SOLUTION & FLEXIBILITY ON**

**APPLICATION** Mechanical Type – Percussion Igniter Most of 37/38mm and 40mm ammunitions



# Convenient, Safe & Practical



## MAGAZINE TYPE

37/38mm & 40mm  
Reloadable Magazine

## 40mm RIFLED BARREL (OPTION)

40x46mm HE Grenade  
– as a sort of Lethal Grenade  
Launcher

## PORTABLE HARD CASE

Shock Proof, Water Proof &  
Dust Proof

**9 INCH WIDE SCREEN** Clean  
view under Screen Visor

## SHOOTING ANGLE DISPLAY ON SCREEN

Easy to Read the present Angle  
of Barrel

## INTEGRATED RECORDING – DVR about 450 HOURS

Automatic recording system with  
full time record about 450 hours

## JOYSTICK

Convenient  
operation

**INDIVIDUAL FIRING** One  
by One (Single shot) Line  
by Line (Five shot) Whole  
shot (Fifteen rounds)

## AMMO SHOOTING DISPLAY LED LAMP

Each Trigger has LED Lamp  
showing each ammo has fired or  
not


## Remote Controller Portable Design





# Multiple Automatic Launchers

Vehicle Mounted Type  
40X46mm Rifled Barrel



## BCM

### **STRONG ALUMINUM ALLOY MACHINE BODY**

Robust Launcher Body with  
Strong Aluminum Anodized Body

### **WEATHER PROOF – CLOSED DESIGN**

Weather proof and Dust proof  
with Closed Design

### **RELOADABLE MAGAZINE**

– **SIDE SLIDING**  
Easy Reloading from Inside of Vehicle

### **FREE ROTATION**

**360° Infinity Rotation**  
One machine covers all around of  
the Vehicle

### **EFFICIENT POWER CONSUMPTION – 24V VEHICLE BATTERY**

No need additional power supply

### **IR CAMERA**

Very clean view in NIGHT time  
also

### **ADJUSTABLE INSTALLATION BRACKET**

Easy Assemble and  
Disassemble To be designed  
adequately  
for every vehicle

### **FLEXIBILITY ON APPLICATION**

Mechanical Type – Percussion  
Igniter Most of 40mm ammunitions  
Including 40x46mm High Explosives




# Application






# Application







# Application





# Application





LEARN MORE: [c4icommunication.com](http://c4icommunication.com)

FOR MORE INFORMATION: [contact@c4icommunication.com](mailto:contact@c4icommunication.com) or +1 (302)981.1340